Error Codes

Language Code: English

Display when no value in Explanation? N

Display when no value in Administrator Response? N

Display when no value in User Response? N

Display when no value in System Action? N

Message Group: system

ID	Value	Explanation	Administrator Response	User Response	System Action
BMXAA4085E	The system could not fetch attribute {0} in table {1} from the database. {2} is an incorrect attribute. Capture the logs under the application HOME directory and report this error to a database administrator.	The value of the field in the database does not conform to the specified data type for this field in the metadata, so the data cannot be loaded into the business object. See the associated message for details.	No action is required.	This is a system error. Capture the logs and report this error to a database administrator. The logs can be found under the application HOME directory and is usually defined during install/setup.	No action required.
BMXAA7366E	The domain filter keyword in the relationship or WHERE clause cannot be processed. Enter an attribute name after the keyword prefix &domainfilter&_.	The domain value can be site-specific or organization-specific. Using a string prefixed by &domainfilter&_ allows the system to automatically insert a WHERE clause that yields the correct domain values for the site or organization of the parent object. For example, domainid= 'WOSTATUS' and value=:status and :& DOMAINFILTER&_STATUS can be used to make sure that only values that are for the site or organization that the parent object belongs to are considered.	None	Correct the where clause.	None
BMXAA7387E	While attempting to retrieve {0} of {1}, the operation was terminated because the preset limit {2} was exceeded for retrieving {1} into a single set. Reduce the number of selected objects for the operation.	The fetch stop limit that is enabled by the mxe.db.fetchStopLimitEnabled property was exceeded.	Examine if the preset limit is reasonable to the normal user scenerio and adjust accordingly. The default value for all the objects are defined by mxe.db. fetchResultStopLimit property. If a particular object's limit needs to be adjusted, the property mxe.db. fetchResultStopLimit. OBJECTNAME can be set to a larger value than the default. If -1 is used as the value, it	The user should use filter to narrow down the search. If the operation is atomic and the set cannot be adjusted and it is a correct operation, please report the error to the adminstrator. The system needs to be reconfigured.	none.

Error Codes

Language Code: English

Display when no value in Explanation? N

Display when no value in Administrator Response? N

Display when no value in User Response? N

Display when no value in System Action? N

Message Group: system

ID	Value	Explanation	Administrator Response	User Response	System Action
			indicates no limit is applied to this object.		